

To pass or not to pass – advances and dilemmas in fishway science

Webinar, 17 November 2015

by Christos (Chris) Katopodis, P.Eng., FCSCE
KatopodisEcohydraulics@live.ca
Winnipeg, Manitoba, Canada

AFS-BES/ASCE-EWRI Joint Committee on Fisheries Engineering and Science
(American Fisheries Society - Bioengineering Section, and
American Society of Civil Engineers - Environmental Water Resources Institute)

References

- Adams, N.S., J.M. Plumb, R.W. Perry, & D.W. Rondorf 2014. Performance of a Surface Bypass Structure to Enhance Juvenile Steelhead Passage and Survival at Lower Granite Dam, Washington, North American Journal of Fisheries Management, 34:3, 576-594, DOI: 10.1080/02755947.2014.901256
- Annear, T., Chisholm, I., Beecher, H., Locke, A., Aarrestad, P., Burkhart, N., Coomer, C., Estes, C., Hunt, J., Jacobson, J., Jobsis, G., Kauffman, J., Marshall, J., Mayes, K., Stalnaker, C., Wentworth, R., 2004. Instream Flows for Riverine Resource Stewardship, revised edition. Instream Flow Council, Cheyenne, WY, USA, ISBN 0-9716743-1-0, xxviii + 268 pp. <http://www.instreamflowcouncil.org/>
- Bell, M.C. 1945. Report on the engineering investigation of Hell's Gate, Fraser River. Annual Report 1944, Int'l Pacific Salmon Fish. Commission, p. 14-22.
- Belles-Isles, M. et I. Simard. 2005. Dérivation partielle de la rivière Portneuf. Suivi environnemental 2005 en phase exploitation – Passe migratoire Portneuf. Groupe conseil GENIVAR inc. pour Hydro-Québec. 103 p. + annexes.
- Bestgen, K.R., B. Mefford, J.M. Bundy, C. D. Walford & R.I. Compton (2010) Swimming Performance and Fishway Model Passage Success of Rio Grande Silvery Minnow, Transactions of the American Fisheries Society, 139:2, 433-448, DOI: 10.1577/T09-085.1
- Bunt, CM, Castro-Santos, T, Haro, A. 2012. Performance of fish passage structures at upstream barriers to migration. River Res. & Applic. 28: 457-478.
- Branco, P. J., J. M. Santos, C. Katopodis, A. N. Pinheiro, and M. T. Ferreira. 2013a. Pool-type fishways: two different morpho-ecological cyprinid species facing plunging and streaming flows. PLOS One 8(5): e65089. doi:10.1371/journal.pone.0065089.
- Branco, P. J., J. M. Santos, C. Katopodis, A. N. Pinheiro, and M. T. Ferreira. 2013b. Effect of flow regime hydraulics on passage performance of Iberian chub in an experimental pool-and-weir fishway. Hydrobiologia, 714(1) 145-154, DOI 10.1007/s10750-013-1532-7.
- Calles, O., P. Rivinoja and L. Greenberg 2013. A Historical Perspective on Downstream Passage at Hydroelectric Plants in Swedish Rivers. *Ecohydraulics: An Integrated Approach*, First Edition. Edited by Ian Maddock, Atle Harby, Paul Kemp and Paul Wood. JohnWiley & Sons, Ltd.
- Castro-Santos, T. , Sanz-Ronda, F.J., Ruiz-Legazpi , J. 2013. Breaking the speed limit - comparative sprinting performance of brook trout (*Salvelinus fontinalis*) and brown trout (*Salmo trutta*). Can. J. Fish. Aquat. Sci. 70: 280–293 doi:10.1139/cjfas-2012-0186.
- Clay, CH. (1995) Design of fishways and other fish facilities, 2nd Ed. Lewis Publishers, Boca Raton, LA.
- Clough, S.C., and Turnpenny, A.W.H. 2000. Swimming speeds in Fish: Phase 1. R&D Tech Report W2-026/TR1. Fawley Aquatic Research Laboratories LTD.
- Colavecchia, M., C. Katopodis, R. Goosney, D.A. Scruton, and R.S. McKinley 1998. Measurement of burst swimming performance in wild Atlantic salmon (*Salmo salar* L.) using digital telemetry. Regulated Rivers: Res. Mgmt, 14: 41-51.
- Colavecchia, M.V. 1997. The use of telemetry to assess high speed swimming and fishway performance in salmonids. Thesis (M.Sc.) University of Waterloo. Waterloo, ON. 110 p.
- Cooke, SJ, Hinch, SG. 2013. Improving the reliability of fishway attraction and passage efficiency estimates to inform fishway engineering, science, and practice. Ecological Engineering 58: 123-132.

References

- Ead, S.A., C. Katopodis, G. J. Sikora and N. Rajaratnam. 2004. Flow regimes and structure of pool and weir fishways. *Canadian J. of Environmental Engineering and Science. Special Issue on Environmental Hydraulics*, 3: 379-390.
- EPRI-DOE. 2011. EPRI-DOE Conference on Environmentally-Enhanced Hydropower Turbines: Technical Papers. EPRI, Palo Alto, CA, and U.S. Department of Energy, Washington, D.C.: 2011. 1024609. xxiv+1-1 to 1-6 + 2-1 to 2-225 + 3-1 to 3-6
- Ghanem, A., P. Steffler, F. Hicks and C. Katopodis. 1996. Two-dimensional simulation of physical habitat conditions in flowing streams. *Regulated Rivers: Res. Mgmt*, 12: 185-200.
- Hardy, T.B., T. Shaw, R.C. Addley, G.E. Smith, M. Rode, and M. Belchik. 2006. Validation of chinook fry behavior-based escape cover modeling in the lower Klamath River. *Intl. J. River Basin Management* 4(3): 169–178.
- Hinch, SG, Bratty, J. 2000. Effects of swim speed and activity pattern on success of adult Sockeye salmon migration through an area of difficult passage. *Transactions of the American Fisheries Society* **129**: 598-606.
- Jackson, R. I. 1950. Variations in flow patterns at Hell’s Gate and their relationships to the migration of sockeye salmon. *International Pacific Salmon Fisheries Commission Bulletin III*, p. 81-129.
- Katopodis, C. 2005. Developing a toolkit for fish passage, ecological flow management and fish habitat works. *J. Hydraulic Research*, 43(5): 451-467.
- Katopodis, C. 2014. Twenty years of River2D ecohydraulic simulations. Proc. 10th Int’l Symposium on Ecohydraulics, Trondheim, Norway, 23-27 June 2014, eco14Abstract00166, 4 p.
- Katopodis Ecohydraulics Ltd. 2013. Fish passage considerations for developing small hydroelectric sites and improving existing water control structures in Ontario. Ontario Ministry of Natural Resources, Canada, 95 p, http://www.mnr.gov.on.ca/stdprodconsume/groups/lr/@mnr/@renewable/documents/document/stdprod_109381.pdf
- Katopodis C., and Aadland, L. P. 2006. Effective dam removal and river channel restoration approaches. *IAHR International J. River Basin Management, Special Issue on Ecohydraulics* 4(3): 153-168.
- Katopodis, C., B. Chilibeck, P. Kemp and W. Johnson. 2007. Development of guidance and fish passage facilities for multiple downstream migrating species through physical and numerical hydraulic modelling for the proposed Dunvegan Hydroelectric Project on the Peace River, northern Alberta, Canada. Proc. 6th Int’l Symposium on Ecohydraulics Christchurch, New Zealand, February 18-23, 2007, 4 p.
- Katopodis, C., A.J. Derksen and B.L. Christensen. 1991. Assessment of two Denil fishways for passage of freshwater species. Colt, J. and R.J. White (Ed.) *American Fisheries Society Symposium* 10: 306-324.
- Katopodis, C., S.A. Ead, G. Standen, and N. Rajaratnam. 2005. Structure of flow upstream of vertical angled screens in open channels. *ASCE J. Hydraulic Engineering*, 131(4): 294-304.

References

- Katopodis, C. and R. Gervais. 2015 (Presentation). Size matters even for the ubiquitous fish speed metric of BL/s. Int'l Conf. on Engineering & Ecohydrology for Fish Passage, Groningen, The Netherlands, June 22-24, 2015.
- Katopodis, C. and R. Gervais. 2012 (Presentation). Ecohydraulic analysis of subcarangiform swim speeds. 9th Int'l Symposium on Ecohydraulics, Vienna, Austria, 17-21 Sept. 2012
- Katopodis, C. and R. Gervais. 2012. Ecohydraulic analysis of fish fatigue data. *River Research and Applications*, 28: 444–456, DOI: 10.1002/rra.1566
- Katopodis, C. and H. K. Ghamry. 2013. Robust habitat estimates from River2D using two winter hydrometric surveys five years apart on the Northlands study reach of the Athabasca River. *Proc. 21st Canadian Hydrotechnical Conference*, Banff, Canada, May 14-17, 2013. CSCE2013-43 p. 1-10
- Katopodis, C. and H. K. Ghamry 2012. Comparison of hydrodynamic and habitat estimates using two river reach surveys several years apart. 9th Int'l Symposium on Ecohydraulics, Vienna, Sept. 17-21, 2012.
- Katopodis, C., D. Lemke and H.K. Ghamry. 2011. Ecohydraulic studies on bar racks (trashracks). Report for Manitoba Hydro & Fisheries and Oceans Canada (DFO). 39 p.+3 appendices.
- Katopodis, C, Williams, JG. 2012. The development of fish passage research in a historical context. *Ecological Engineering* 48: 8-18.
- Larinier, M, Travade, F, Porcher, JP. 2002. Fishways: Biological basis, design criteria and monitoring. *Bulletin Français De La Pêche et de la Pisciculture* 364 supplement 208 p.
- Larinier, M. and F. Travade. 2002. Downstream migration: problems and facilities. *Bulletin Francais de la Peche et de la Pisciculture* 364:181–207.
- Leclerc, M., Boudreault, A., Bechara, J., Corfa, G., 1995. Two-dimensional hydrodynamic modelling: a neglected tool in the instream flow incremental methodology. *Trans. Am. Fish. Soc.* 124, 645–662. Locke & Paul 2011
- Locke, A., Paul, A., 2011. A Desk-top Method for Establishing Environmental Flows in Alberta Rivers and Streams. Alberta Environment and Alberta Sustainable Resource Development, Edmonton, AB, Canada, iv + 94 pp.
- Marriner, B.A., A.B.M. Baki, D.Z. Zhu, J.D. Thiem, S.J. Cooke, and C. Katopodis. 2014. Field and numerical assessment of turning pool hydraulics in a vertical slot fishway. *Ecological Engineering* 63: 88-101 doi/10.1016/j.ecoleng.2013.12.010.
- Muir, W.D., Williams, J.G., 2012. Improving connectivity between freshwater and marine environments for salmon migrating through the lower Snake and Columbia River hydropower system. *Ecol. Eng.* 48, 19–24.
- Naughton, GP, Caudill, CC, Keefer, ML, Bjornn, T, C., Stuehrenberg, LC, Peery, CA. 2005. Late-season mortality during migration of radio-tagged adult sockeye salmon (*Oncorhynchus nerka*) in the Columbia River. *Canadian Journal of Fisheries and Aquatic Sciences* **62**: 30-47.
- Naughton, GP, Caudill, CC, Peery, CA, Clabough, TS, Jepson, MA, Bjornn, TC, Stuehrenberg, LC. 2007. Experimental evaluation of fishway modifications on the passage behaviour of adult Chinook salmon and steelhead at Lower Granite Dam, Snake River, USA. *River Research and Applications* 23: 99-111.

References

- Noonan M.J., Grand J.W.A., and Jackson C.D. (2012). A quantitative assessment of fish passage efficiency. *Fish and Fisheries* 13 (4), 450–464.
- Parker, G., Wilcock, P.R., Paola, C., Dietrich, W.E., Pitlick, J., 2007. Physical basis for quasi-universal relations describing bankfull hydraulic geometry of single-thread gravel bed rivers. *J. Geophys. Res.* 112, <http://dx.doi.org/10.1029/2006JF000549>, F04005, 21 pp.
- Peake, S., McKinley, R.S., and Scruton, D.A. 1997. Swimming performance of various freshwater Newfoundland salmonids relative to habitat selection and fishway design. *J. Fish Biol.* 51: 719-723.
- Peake, S. 1997. Personal communication Brook and Brown trout raw data.
- Peterson, N.P., R.K. Simmons, T. Cardoso & J. T. Light (2013) A Probabilistic Model for Assessing Passage Performance of Coastal Cutthroat Trout through Corrugated Metal Culverts, *North American Journal of Fisheries Management*, 33:1, 192-199, DOI: 10.1080/02755947.2012.750633
- Poff, N.L., J.D. Allan, M.B. Bain, J.R. Karr, K.L. Pretegaard, B.D. Richter, R.E. Sparks and J.C. Stromberg. 1997. That natural flow regime: a paradigm for river conservation and restoration. *Bioscience* 47(11):769-784.
- Pompeu, P.S., A.A. Agostinho & F.M. Pelicice 2012. Existing and future challenges: the concept of successful fish passage in South America. *River Res. Appl.* 28, 504–512.
- Powers, P.D., K. Bates, T. Burns, B. Gowen, and R. Whitney, 1997. Culvert Hydraulics Related to Upstream Juvenile Salmon Passage, Washington Department of Fish and Wildlife, Lands and Restoration Services Program.
- Pratt, TC, O'Connor, LM, Hallett, A, McLaughlin, RL, Hayes, DB. (2006) Evaluation of modifications to improve fishway performance. Report by Great Lakes Laboratory for Fisheries and Aquatic Sciences, Fisheries & Oceans Canada to Great Lakes Fishery Commission Sault Ste. Marie, Ontario, 29 pp.
- Pratt, T.C., L. M. O'Connor, A. G. Hallett, R. L. McLaughlin, C. Katopodis, D. B. Hayes, and R. A. Bergstedt. 2009. Balancing aquatic habitat fragmentation and control of invasive species: enhancing selective fish passage at sea lamprey control barriers. *Trans American Fisheries Society* 138: 652-665.
- Raynal, S., Chatellier, L., Courret, D., Larinier, M., David, L. (2013a). An experimental study on fish-friendly trashracks 1: Inclined trashracks. *J. Hydraulic Res.* 51(1), 56–66
- Raynal, S., Chatellier, L., Courret, D., Larinier, M., David, L. (2013b). An experimental study on fish-friendly trashracks 2: Angled trashracks. *J. Hydraulic Res.* 51(1), 67–75.
- Santos, J. M., A. T. Silva, C. Katopodis, P. Pinheiro, A. Pinheiro, J. Bochechas, M. T. Ferreira. 2012. Ecohydraulics of pool-type fishways: getting past the barriers. *Ecological Engineering*, 48: 38-50, doi: 10.1016/j.ecoleng.2011.03.006.
- Silva A.T., C. Katopodis, J.M. Santos, M.T. Ferreira, and A.N. Pinheiro. 2012a. Cyprinid swimming behaviour in response to turbulent flow. *Ecological Engineering*, 44: 314–328
- Silva A.T., C. Katopodis, M.F. Tachie, J.M. Santos and M.T. Ferreira. 2015. Downstream swimming behaviour of catadromous and potamodromous fish over spillways. *River Research and Applications* DOI:10.1002/rra.2904

References

- Souchon, Y. C. Sabaton, R. Deibel, D. Reiser, J. Kershner, M. Gard, C. Katopodis, P. Leonard, N. L. Poff, W.J. Miller and B. L. Lamb. 2008. Detecting Biological Responses to Flow Management: Missed Opportunities; Future Directions. *River Research and Applications* 24: 506-518.
- Talbot, G. B. 1950. A biological study of the effectiveness of the Hell's Gate fishways. *Int'l Pacific Salmon Fisheries Commission Bulletin III*, p. 1-80.
- Thiem, J.D., T. R. Binder, J. W. Dawson, P. Dumont, D. Hatin, C. Katopodis, D. Z. Zhu, S. J. Cooke. 2011. Behaviour and passage success of upriver-migrating lake sturgeon (*Acipenser fulvescens*) in a vertical slot fishway on the Richelieu River, Quebec. *Endangered Species Research* 15: 1–11, doi: 10.3354/esr00360
- Thiem, J.D., Hatin, D., Dumont, P., Van Der Kraak, G., Cooke, S.J. 2013. Biology of lake sturgeon (*Acipenser fulvescens*) spawning below a dam on the Richelieu River, Quebec: behaviour, egg deposition, and endocrinology. *Can. J. Zool.*, 91, pp 175–186.
- Thompson, W.F. 1945. Effect of the obstruction at Hell's Gate on the sockeye salmon of the Fraser River. *Int'l Pacific Salmon Fish Com Bulletin I*. 175 p.
- Travade, F., Larinier, M., Subra, S., Gomes, P., De-Oliveira, E., 2010. Behaviour and passage of European silver eels (*Anguilla anguilla*) at a small hydropower plant during their downstream migration. *Knowl. Manag. Aquat. Ecosyst.* 398, 01 19 p DOI: 10.1051/kmae/2010022.
- Tritico, H., C. Katopodis and R. Gervais. 2015 (Presentation). How fast do fish swim? A global assessment of what we know and what we don't know. *Int'l Conf. on Engineering & Ecohydrology for Fish Passage*, Groningen, The Netherlands, June 22-24, 2015.
- Trumbo, B.A., M.L. Ahmann, J.F. Renholds, R.S. Brown, A.H. Colotelo, Z.D. Deng 2013. Improving hydroturbine pressures to enhance salmon passage survival and recovery. *Rev Fish Biol Fisheries* DOI 10.1007/s11160-013-9340-8
- Tsikata J.M., M.F. Tachie and C. Katopodis. 2014. Open-channel turbulent flow through bar racks. *J. Hydraulic Research*, doi/10.1080/00221686.2014.928805, 14 p.
- Tsikata J.M., C. Katopodis and M.F. Tachie. 2009a. Experimental study of turbulent flow near model trashracks. *J. Hydraulic Research*. 47(2): 275–280.
- Tsikata J.M., M.F. Tachie and C. Katopodis. 2009b. Particle image velocimetry study of flow near trashrack models. *J. Hydraulic Eng.*, 135(8): 671-684.
- US NOAA-Fisheries. (2011) Anadromous salmonid passage facility design. NOAA Fisheries, West Coast Region, Hydropower. 138 p. (Available at http://www.westcoast.fisheries.noaa.gov/publications/hydropower/fish_passage_design_criteria.pdf).
- Weaver, C.R. 1963. Influence of water velocity upon orientation and performance of adult migrating salmonids. *U.S. Natl. Mar. Fish. Serv. Fish. Bull.* 63: 97-121.
- Wilkerson, G.V. & G. Parker 2011. Physical Basis for Quasi-Universal Relationships Describing Bankfull Hydraulic Geometry of Sand-Bed Rivers. *J. Hydraul. Eng.* 137:739-753
- Williams, JG, Armstrong, G, Katopodis, C, Larinier, M, Travade, F. 2012. Thinking like a fish: A key ingredient for development of effective fish passage facilities at river obstructions. *River Research and Applications* 28: 407-417.